

FIG.1




FIG.2

1 5




FIG.3




FIG.4




FIG. 5

SORTER		STAPLE		DUAL		SCALING				READY				1									
		S → D		D → D		93%		SCALE		A3 → B4 A4 → B5		A3		A4		B4		B5		ASF		ADC	
						87%		ZOOM															
						82%				B5 → A5 A3 → A4		1		2		3		4					
SORT		BACK		D → S		71%		SS		B4 → B5		LIGHT		O		DENSE							
STACK		FRONT				SMALL		LARGE		EQUAL													

FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG. 11




FIG.12




FIG.13




FIG.13: 60042229

FIG.14A




FIG.14B




FIG.14C

SYN	1	*	EN Q
-----	---	---	---------

SYN: 16H
1 : 31H
* : DEVICE CODE(0~V)
ENQ: 05H

FIG.15A




FIG.15B




FIG.16A




FIG.16B




FIG.16C

SYN	2	*	EN Q
-----	---	---	---------

SYN: 16H
2 : 32H
* : DEVICE CODE (0~V)
ENQ: 05H

FIG.17




FIG.18




FIG.19




FIG.20

SYN	SOH	SN	STX	P/S PORTION SELECTION INFORMATION	I/P REQUEST INFORMATION (F/T S REQUEST)	ETX	LRC
-----	-----	----	-----	---	---	-----	-----

FIG.21A

BIT	P/S PORTION SELECTION INFORMATION	REMARKS
0	OPERATION 1;ON,0;OFF	
1	FIXING 1;ON,0;OFF	
2	ADF 1;ON,0;OFF	
3	SORTER 1;ON,0;OFF	
4		
5		
6		
7		

FIG.21B

I/P REQUEST INFORMATION (FTS REQUEST)	REMARKS
5101105020000	

FIG.22

SYN	SOH	SN	STX	P/S PORTION SELECTION INFORMATION	ETX	LRC
-----	-----	----	-----	-----------------------------------	-----	-----